

Ficha comercial

PUERTAS DE INTERIOR

Diversas opciones de diseño, color y acabado

Hecho en Colombia



Hoja

- Ancho: personalizable hasta 1000 mm
- Alto: personalizable hasta 2350 mm
- Espesor: 38, 41, 42 mm
- Interior: Honey Comb
- Bastidor: Aglomerado 30x40mm
- Material: MDP - MDF
- Canto: PVC 0,45 mm

Marco

- Anchos: 80, 100, 120 mm
- Espesor: 30 mm
- Material: MDP RH

Moldura

- Anchos: 40, 60, 80 mm
- Espesor: 15 mm
- Material: MDP RH

Usos

- Habitaciones
- Baños
- Vestidores

Diseños de ranura



Acabado


Foil
Melamina
Pintada

Durabilidad



Colores

MELAMINA // FOIL



Chantilli Mácula Gracia Söder Volcano Nuez Humo Miel




Rovere Ceniza Artiko Caramelo Duna Niebla Cofiac Carbón

COLORES
PINTADA




Orinoco Pacífico Amazonas Caribe Grafito Taupe

Sección puerta batiente




Soluciones de apertura

■ Puerta filomuro



- Ancho: personalizable hasta 1100 mm
- Alto: personalizable hasta 2550 mm
- Espesor: 45 mm


■ Puerta corrediza Magic Air



- Sistema de riel oculto
- Cierre amortiguado


- Ancho: personalizable hasta 1100 mm
- Alto: personalizable hasta 2750 mm

■ Puerta corrediza Pocket



- Oculto en el muro
- Disponible para drywall y muro de ladrillo
- Disponible en hoja doble
- Ancho: desde 600 hasta 1200 mm
- Alto: 2100, 2400 mm


■ Puerta corrediza Diva Air



- Perfil anodizado plata
- Freno amortiguado
- Separación entre puerta y pared 18 mm


- Ancho: personalizable hasta 1000 mm
- Alto: personalizable hasta 2350 mm
- x: medida mínima 20 mm

■ Puerta corrediza Basic



- Movimiento de la puerta suave y silencioso
- Ancho: desde 500 hasta 1000 mm
- Alto: personalizable hasta 2350 mm

- Puertas hasta 2700 mm de altura
- El diseño de la veta requiere de ruteado en los empates
- El marco se ofrece en pino recubierto en PVC



Complementos

Mirilla Corta



- Ancho: 150 mm
- Alto: 900 mm
- Espesor vidrio: 6 mm
- Acabado vidrio: laminado con película de seguridad
- Características: pisa vidrio en MDF pintado



Mirilla Larga



- Ancho: 150 mm
- Alto: 1700 mm
- Espesor vidrio: 6 mm
- Acabado vidrio: laminado con película de seguridad
- Características: pisa vidrio en MDF pintado

Mirilla Redonda



- Diámetro exterior: 363 mm
- Diámetro interior: 263 mm
- Espesor vidrio: 6 mm
- Acabado: laminado con película de seguridad
- Características: pisa vidrio en MDF pintado



Rejilla Ventilación



- Ancho: 500 mm
- Alto: 102 mm
- Espesor rejilla: 20 mm
- Acabado: MDF pintado
- Colores: Blanco, Beige, Gris, Wengue



Rejilla Gasodoméstico



- Ancho: 560 mm
- Alto: 65 mm
- Espesor rejilla: 20 mm
- Acabado: MDF pintado
- Colores: Blanco, Beige, Gris, Wengue



NTC 3631

Incrustación Vertical



- Ancho: 6 mm
- Alto: 8 mm
- Material: aluminio
- Color: Gris

Incrustación Horizontal



- Ancho: 6 mm
- Alto: 8 mm
- Material: aluminio
- Color: Gris



PUERTA EVOLUCIÓN EVOLUTION DOOR

Ficha comercial / Commercial sheet



EVOLUCIÓN
EVOLUTION



MADERAS



FERRETERIA

INTER DOORS®
Creando hogares

PUERTA EVOLUCIÓN EVOLUTION DOOR

Ficha comercial / Commercial sheet



EVOLUCIÓN
EVOLUTION



ALGUNAS CARACTERÍSTICAS

SOME QUALITIES



Uso
Interior
Indoor use



100%
Reforestado
100% reforested




Garantía
2 años
2-year warranty



Resistente a
Rayones
Scratch
resistant

ALGUNOS COLORES

SOME COLORS



Opción de escoger colores de otras marcas **que se adaptan mejor a tus necesidades** y preferencias.

Flexibility to choose colors from other brands **that better suit your needs** and preferences.


DISEÑOS DE ALTURA HIGH-RISE DESIGNS

Creando una entrada majestuosa que realza la arquitectura del hogar, **su imponente altura añade un toque de grandeza y modernidad** a cualquier espacio.

Creating a majestic entrance that enhances the architecture of the home, **the imposing height adds a touch of grandeur and modernity** to any space.



ALTURA MÁX.
275 CM
HIGHT TOP **9 FEET**



Síguenos

@Ferretería Maderas 3C
 @madera3C

Ferretería Maderas 3C | Ave. Kennedy,
sector Bechara, San Juan, Puerto Rico
787-474-3333 | info@maderas3c.com



Exterior Hardwood Doors - Mahogany



PT - M01



PT - M02



PT - M03



PT - M04



PT - M05



PT - M06



PT - M07



PT - M08

Exterior Hardwood Doors - Mahogany



PT - M09



PT - M10



PT - M11



PT - M12



PT - M13



PT - M14



PT - M15



PT - M16



PT - M17



PT - M18



PT -PH01E



PT -PH02E



PT -PH03E



PT -PH04E



PT -PH05E



PT -PH06E



PT -PH07E



PT -A01



PT -A02



PT -PH10E



PT -PH11E



PT -PH12E

Exterior Prehung Entry



PT -PH13E




PT -PH14E



PT -PH15E



PT -PH16E



Door's Project



Package
Shipped

Interior Hardwood Doors - Knotty Alder / White Oak



Knotty
Alder



PT – A02 - Interior



PT – A03 - Interior



PT – A04 - Interior



PT – A05 - Interior



PT – A06 – Interior – “V” Grooved

White
Oak



PT – WO01



PT – WO02



PT – WO03



PT – WO04



PT – WO05



PT – WO07

Interior Hardwood Doors -Okoume/ Mahogany



PT - Ok-01 Shaker



PT - OK-02 Louver



PT - OK-02 Flush



PT OK-02 Bifold

Okoume

Mahogany




PT - BM-01



PT - BM-02



PT - BM-03



PT - BM-03



PT - BM-04



PT - BM-04



PT - BM-05

Interior Clear Pine Doors



PT – CP01



PT – CP02



PT – CP03



PT – CP04



PT – CP05



PT – B02



PT – CP06



PT – CP07



PT – CP08



PT – CP09



PT – CP10



PT – B05

Interior Louver / Pantry / Laundry / Frosted & Knotty Pine Doors



PT - L01



PT - 1L01-Pantry



PT - 1L02-Laundry



PT - 1L03-Frosted



PT - KP01



PT - B04



PT - KP02



PT - KP03



PT-KP04-"V" Grooved



PT-KP05-"V" Grooved



PT - KP06




PT - KP07



PT – PM01-Shaker



PT – PM02-Shaker



PT – PM03



PT – PM04-Shaker



PT – PO01



PT – PO02



PT – PO03



PT – PO04

Interior Prehung Doors - Flat Package



Predrilled Holes

3 screw per leg jamb side

-Flat Package-
with individual
shrink wrapped
per set



Hinges



Single Bore



Assemble in minutes, in 2 easy steps

**Machined with Precision and High Quality,
for a perfect and simple assembly**

Once door
frame is
square,
just install
into
opening.


After jambs
and door
assembly,
striker hole
will align
with strike
plate.

I

Attach the header to the
side jambs with the
supplied 3 screws per
side and into the
predrilled holes.

II

Slide the 3 hinges pins
back into position after
interlocking the door
and jamb hinges parts.





PT - Barn Z



PT - Barn K



PT - Barn X



PT - Barn XX



PT - Plank-01



PT - Plank-02



PT - Plank-03



PT - Plank-04



PT - Plank-05



PT - Plank-06



PT - Vertical



PT - 5 L Reeded

Barn door Hardware

SLIDING BARN DOOR HARDWARE SET



OPTIONS:



SB-01



SB-02



SB-03



SB-04



SB-05



SB-06

Door Handle:



DH-01



DH-02



DH-03



Options : Latch





Satin nickel Maple wood Sandblasted black Antique cooper ORB color Matt black White crackle Smooth color Brushed stainless steel Gold black



Soft close Damper

Wood Door – “Effectiveness-Chain”



Wood Door – “Effectiveness-Chain”

We work with efficiency supplier’s chain. We manufacturing the products, take care of the logistic and give financial structure to achieve USA & Canada market. We import wood raw material from Brazil, Indonesia and USA, Hardware and Glass from China and produce in Vietnam. Then, we ship straight to USA & Canada with “landed cost” and give payment terms to your company.

This supplier’s chain allows us to achieve low costs and we can offer a competitive price to the market, but we don’t converter low cost in cheapest products, we invest in time, care and source to make the best quality

PVC DOOR PROGRAM

2023



ABOUT THE STRUCTURE OF PVC DOORS

About the hot press and cold press, or what they called PUR. PUR stands for Polyurethane Reactive, it's through the reaction between Polyamcol prepolymer and water in the air, curing and cross-linking to form a stable chemical structure. It's more resistant to high temperature and low temperature.

We need to look at the structure.

The top layer is a layer of PVC film, which gives us different color, different patterns, like different wood pattern.

The Second layer is the 2mm WPC board (Wood Plastic Composite).

There are two ways of laminating the PVC film on the WPC board. One is hot press, and one is cold press.

Hot press puts the PVC film and WPC board (Wood Plastic Composite) under high temperature through a rolling machine. The PVC film and WPC board kind of melt and glue together. This way the cost is lower, but as you can imagine, the melting is sometimes not so good. The PVC film might separate. And the finish would be smooth and gloss finish.

As for Cold press, PUR, is to apply Polyurethane Reactive glue on the WPC board, laminates the PVC film, and then use a pressing machine to press them together. The finish would be matt finish and can have the rough surface like wood door.







MADRID WHITE #1



MADRID WALNUT # 2





TROPICAL DECO

DESCRIPCION

- *FRAME TUBULAR 1/8" SOLDADO
- *WALL DECO SIDING 5-3/4"
- *INSULACION INTERMEDIA
- *CERRADURA DE CAJUELA
- *PIVOT, FLOOR MOUNTED BOTTOM AND TOP MOUNTED FREE-SWINGING
- *POWDER COATING COLORES BASE, (BLANCO, NEGRO MATTE, RAL 7040, RAL 1013, NEGRO GLOSS, RAL 7024) COLORES ESPECIALES CONLLEVAN COSTO ADICIONAL.
- *HANDLE 1/4" X 8" X 8" ALUMINIO
- *MARCO EXTERIOR 2" X 4"

DETALLES

- *INSTALACION BASICA - NO INLCUYE TRABAJO EN CEMENTO.
- *REMOCION BASICA, PUERTA TRADICIONAL
- *NO INCLUYE TRABAJOS EN CEMENTO, LOZA O MADERA

GARANTIA

- * 2 AÑO EN MANUFACTURA
- * 6 MESES EN PINTURA
- * 6 MESES EN ACCESORIOS
- * 30 DIAS EN SERVICIO
- * CIERTAS RESTRICCIONES APLICAN.

FERRETERÍA MADERAS 3C

Ave. Kennedy, sector Bechara, San Juan, Puerto Rico

Tel: 787-474-3333 • Email: info@maderas3c.com

MADERAS



FERRETERIA